

REGISTRATION GENERAL INFORMATION OF UNDERGROUND OIL STORAGE TANKS

The purpose of this registration is to gather information on underground tanks that store or have stored petroleum products. Registration is required for all underground oil storage facilities regardless of tank size or type of petroleum product stored and regardless of whether the tanks are in service or out of service. The information you provide should be accurate and based upon reasonably available records, or, in the absence of such records, to the best of your knowledge or belief.

1. Who must register an underground oil storage tank?

The tank owner or operator is responsible for meeting registration requirements. Completed registration forms for new and replacement underground oil storage facilities and tanks must be submitted to the Department of Environmental Protection (DEP) Ten (10) business days prior to installation. If the ownership of an existing tank is uncertain or in dispute, the current owner of the property where the tank(s) are located must register it. The registration requirements are set forth in Title 38, § 563, of the Maine Revised Statutes Annotated (MRSA) and in Chapter 691, § 4 of DEP rules.

2. What tanks must be registered?

All tanks that meet the state definition of underground oil storage tank must be registered. State law at 38 MRSA section 562-A, subsection 22 defines a tank as "any container, 10% or more of which is beneath the surface of the ground and which is used, or intended to be used, for the storage, use, treatment, collection, capture or supply of oil". The term does not include "any tanks situated in an underground area if these tanks or containers are situated upon or above the surface of a floor and in such a manner that they may be readily inspected". Oil means "petroleum products and their by-products of any kind and in any form including, but not limited to, petroleum, fuel oil, motor oil, sludge, oil refuse, oil mixed with other waste, crude oil, and waste oil and all other liquid hydrocarbons regardless of specific gravity".

The following categories of tanks are exempt from the underground oil storage facility registration requirements of DEP rules. Tanks and piping located aboveground where less than ten percent (10%) of the tank is located below ground septic tanks; pipeline facilities (including gathering lines) regulated under the Federal Natural Gas Pipeline Safety Act of 1968, or the Federal Hazardous Liquid Pipeline Safety Act of 1979; instate pipeline facilities regulated under

REGISTRATION GENERAL INFORMATION OF UNDERGROUND OIL STORAGE TANKS

State laws (38 MRSA § 563); surface impoundment's, pits, ponds or lagoons; surface water or waste water collection systems; flow-through process tanks except where used for treatment; liquid traps or associated gathering lines directly related to oil or gas production and gathering operations; and storage tanks situated in an underground area (such as a basement, cellar, mineworking, drift, shaft, or tunnel) if the storage tank is situated or above the surface of the floor and fully inspectable.

If you are in doubt as to whether you are the owner of an underground storage tank, you are encouraged to register the tank using this form.

3. What substances are covered in the term oil?

All liquid petroleum and petroleum products except propane are included by state law.

4. Where should I register?

Please send the registration form to: MDEP-BRWM, 17 State House Station, Augusta, ME 04333-0017 ATTN: Tank Registration section. A copy must also be filed with the local fire department. Remember to keep a copy for your own records.

5. When should I register my tank?

Owners of underground oil storage tanks existing as of March 1, 1985 should have registered by February 1, 1986. Tanks installed after March 1, 1985 must be registered five (5) days before installation.

6. Restrictions on tank location.

A new provision of Maine law, 38 MRSA § 563-C may prohibit the siting of a new underground oil storage facility near drinking water supplies.

After September 30, 2001 a person may not register, install, or cause to be installed a new underground oil storage facility, referred to in this section as a "facility," that is:

- A. Within the source water protection area of a public drinking water supply mapped by the Department of Human Services (DHS) prior to the registration or installation of the facility, or within 1,000 feet of the public water supply, whichever is greater; or
- B. Within 300 feet of a private water supply in existence at the time the facility owner applied to register the facility.

REGISTRATION GENERAL INFORMATION OF UNDERGROUND OIL STORAGE TANKS

"Source Water Protection Area" means an area that contributes recharge water to a public water supply well for a public drinking water supply that is mapped by DHS. *The maps can be obtained at local town offices, or through the Maine Bureau of Health drinking water program at (207) 287 2070, or are available on the Maine Drinking Water Program website at <http://www.maine.gov/dhhs/eng/water/index.htm>.*

7. Exemptions.

From restrictions on tank location. The siting prohibitions listed above in 6A and B do not apply to:

- A. Replacement or expansion of a underground facility registered and installed on or before September 30, 2001, provided the replacement or expansion occurs on the same property and the owner or operator continues to pay the annual registration fee as required by 38 MRSA § 563(4). Failure to pay the annual fee disqualifies a facility from being considered exempt under this section.
- B. Conversion of an aboveground oil storage facility registered and installed on or before September 30, 2001 to an underground oil storage facility, provided the conversion occurs on the same property;
- C. A facility used solely for the storage of heating oil that is consumed on site;
- D. Underground piping associated with an aboveground oil storage facility; or
- E. A well located on the same property as a facility and serving only users on that property.

8. Variance.

From the restrictions on tank locations. The commissioner may grant a variance from the siting prohibition under some circumstances. See 38 MRSA, § 563-C, subsection 3. **A variance application can be obtained by contacting the DEP tanks licensing unit at (207) 287-2651.**

9. Penalties.

The registration of all underground oil storage tanks is critical to developing a sound environmental program for managing and locating these tanks. For this reason, the Legislature has required that late fees and penalties be assessed to owners who neglect to properly register their tanks. Tank owners who knowingly fail to notify or who submit false information to the Department may be subject to a federal civil penalty of \$10,000 for each tank for which notification is not given or false information is submitted.

10. Questions and assistance.

For assistance in completing the registration form or answering questions about the rules for underground oil storage facilities, please call (207) 287-2651 and ask for someone in the Underground Storage Tank Program.

11. Amended registration.

Owners must amend the tank registration in writing to the DEP if:

- A. The facility is sold or otherwise transferred;
- B. The facility is modified, e.g., new tanks or piping, change of product stored; retrofitting of or changes in leak detection or overfill prevention equipment; etc.

Registration must be amended within ten (10) business days of the date of the change. A person who has not submitted an amended registration as required must pay a late fee of \$100.

12. What registration fees are required?

A registration fee of \$35 is required on all tanks except those serving a single family residence. The fee must be paid upon initial registration and annually thereafter. All payments should be made payable to the State of Maine Groundwater Fund. These fees must be paid prior to January 1st of each year.

MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION
REGISTRATION FORM
FOR UNDERGROUND OIL AND PETROLEUM PRODUCTS STORAGE
TANKS

(Pursuant to 38 M.R.S.A. Section 563, 40 CFR Part 280)

STATE USE ONLY

DATE OF REGIST.
____/____/____

Instructions: Please complete both section A and B of this form. The first part of section A will help you determine if the Maine laws limiting the siting of new underground oil tanks applies to your facility. Section A-2 provides guidance for new facilities located near wells and water supplies and must be completed in your answered “no” to all of the questions in A-1. Section B covers the information necessary for all tank registrations regardless of where the facility is located.

SECTION A

IF YOU ANSWER YES TO ANY OF THE QUESTIONS BELOW, THEN
YOUR FACILITY IS EXEMPT FROM THE SITING RESTRICTIONS.
CONTINUE TO SECTION B OF THE TANK REGISTRATION FORM.

Recent legislation limits where new underground oil tanks maybe installed. (See 38 M.R.S.A. section 563-C). The purpose of the legislation is to protect wells and water supplies from contamination. To determine if this law applies to your tank installation, please fill out section A of the tank registration form.

Section A-1

To determine if the Maine law governing siting of new underground oil tanks applies to your tank(s), please answer yes or no to the following questions:

1. _____ Were all of the tanks you are registering installed before September 30, 2001?
2. _____ Will the new facility be used solely to store heating oil that is consumed on site (not re-sold)?
3. _____ Is the facility replacing an aboveground oil storage facility registered and installed before September 30, 2001 and presently on the same property?
(If so, please enter registration # here _____)
4. _____ Is the facility replacing or expanding an underground oil storage facility presently on the same property and registered and installed on or before September 30, 2001? (enter registration # here _____)

IF YOU ANSWERED NO TO ALL OF THE QUESTIONS ABOVE THEN COMPLETE
SECTION A-2 (SEE NEXT PAGE).

SECTION A-2

You must supply map coordinates of the corners of the facility or facilities footprint, and groundwater monitoring wells. All coordinates must be in UTM (Universal Transverse Mercator), North American Datum 1983 (NAD 83), Zone 19 North standards and must be sub-meter accuracy & precision. Map coordinate units for UTM are in **meters**.

(NOTE: Please do not submit state plane coordinates which are in feet.)

Based on your response to the questions in section A-1, you are preparing to register a facility that may be subject to the siting restrictions of 38 MRSA § 563-C. To determine if and how these restrictions apply, please answer the following questions. **Please be sure your answers are accurate. Failure to provide accurate answers could result in delays of the installation of your underground oil storage facility.**

1. _____ Will any portion of the underground oil storage facility be installed after September 30, 2001? If no, then Section A-2 does not apply to the tank(s) you are registering – go to Section B.
2. _____ Will any portion of the facility be located within 300' of a private well or water supply? This does not include a private well located on the same lot as the facility and serving only users living on that property. The term "facility" includes tanks, product piping, dispensing facilities, vent piping and stage II vapor recovery piping (if required).
3. _____ Will any portion of the facility be located within the source water protection area of a public drinking water supply mapped by the Department of Human Services or within 1000' of a public water supply, whichever is greater? Maps of source water protection areas are available on the web at <http://www.maine.gov/dhhs/eng/water/index.htm>. Public water supplies are defined as any well or water supply where water is obtained for, sold, furnished or distributed to the public for human consumption. To be a public water supply, the well or water supply must meet one or more of the following requirements:
 - Serve more than 15 connections OR
 - Regularly serve at least 25 individuals daily for at least 60 days of the year OR
 - Provide bottled water for sale where the water is pumped from on site.
4. _____ Does the public well or water supply serve a school or community water supply system? (A school is an institution for the formal classroom instruction of children in grades K-16. A community water system is a public water system that serves at least 15 service connections used by year-round residents or regularly serves at least 25 year-round residents.)
5. _____ Will any portion of the facility be located within a mapped significant sand & gravel aquifer? Maine law prohibits installation of USTs within sand and gravel aquifers mapped by the Maine Geological Survey unless a variance is obtain from the Department of Environmental Protection (DEP). See 38 MRSA § 563-A and Chapter 691, section 3-A of the Department's rules to determine if you are eligible to apply for a variance. In considering whether to grant a variance, the Commissioner may consider the importance of the groundwater resource, any engineering or monitoring measures proposed by the applicant, the geology of the site and other relevant factors.

If the answer to #2 or #4 above is **YES** then a new underground oil storage facility may not be installed unless the applicant proves there is no hydro-geologic connection between the proposed facility and the water supply at

issue. Contact the DEP at (207)287-2651 to obtain information on the procedures to follow to determine if a hydrogeologic connection exists.

If the answer to #3 is **YES** (and the answer to #4 is NO) then a **variance from the siting restriction** may be granted upon written application if the DEP determines that the proposed installation is designed to exceed minimum regulatory requirements and will effectively minimize releases of oil and the likelihood of drinking water contamination. **PLEASE CONTACT THE DEPARTMENT FOR A VARIANCE APPLICATION.**

If the answer to #5 is **YES** Please review Chapter 691, Section 3-A D to determine if a variance may be applicable for the proposed site. **The commissioner shall not grant a variance from the prohibition in Chapter 691, section 3-A of the Department's Rules Section 3-A(C) if any part of the proposed facility site overlies a mapped aquifer that has high potential as a future Public drinking water resource.**

**Department of Environmental Protection
17 State House Station
Augusta, ME 04333-0017
(207)287-2651**

SECTION B

1. **REGISTRATION NUMBER:** _____
(Complete only if a registration number has been previously assigned by the Maine Department of Environmental Protection.)

2. **FACILITY INFORMATION:**

A. Name of Facility: _____

B. Street Address of Facility: _____

C. Town/City where Facility is located: _____

D. Mailing Address: _____

_____, Maine Zip Code: _____

E. Telephone: _____

F. Directions to Facility: _____

3. **TANK OWNER:**

A. Name: _____
(last) (first) (middle initial)

B. Mailing Address: _____

C. Town/City: _____ D. State: _____ E. Zip Code: _____

F. Phone: _____ G. Fax: _____

4. **TANK OPERATOR:** (if different from owner)

A. Name: _____
(last) (first) (middle initial)

B. Mailing Address: _____

C. Town/City: _____ D. State: _____ E. Zip Code: _____

F. Phone: _____ G. Fax: _____

5. CONTACT PERSON:

A. Name: _____ B. Phone: _____

6. FACILITY SITING

A. Are any planned or existing tank (s) (including piping and pumps) within 1000 feet of a public water supply source? Yes _____ No _____

B. Are any planned or existing tank(s) (including piping and pumps) within 300 feet of a private water supply source? Yes _____ No _____

C. (Complete if the answer to "B" above is **YES**.) Is the water supply which is located within 300 feet of the tank(s) owned by someone other than the facility owner or operator?
Yes _____ No _____

D. Is the facility located on a sand and gravel aquifer or recharge area as mapped by the Maine Geological Survey? Yes _____ No _____

E. Is the facility located within a 100 year flood plain? Federal Emergency Management Agency (FEMA) maps showing floodplain locations are available at most municipal offices.
Yes _____ No _____

Note: If you wish assistance in answering items (D) and (E), please call the Department at (207) 287-2651 and ask for staff within the tanks registration program. Sand and gravel aquifer maps can be reviewed at any of the Department's offices or purchased for a nominal fee from the Maine Geological Survey, 22 State House Station, Augusta, ME 04333 (207) 287-2801

7. Facility Use (check one):

_____ Wholesale Distribution of Oil	_____ Oil Storage/Public Facility
_____ Retail Distribution of Oil	
_____ Oil Storage at a Commercial Establishment	_____ Oil Storage/Federal Facility
_____ for On-site Consumption	_____ Oil Storage/State facility
_____ Oil Storage at an Industrial Establishment for	_____ Oil Storage/Municipal or Public
_____ On-site Consumption	_____ School Facility
_____ Oil Storage at a Single Family Residence	
_____ Oil Storage/Farm	
_____ Oil Storage at a Multi-family Residence.	

8. ADDITIONAL INFORMATION

The following information is required for all new and replacement facility registrations or piping upgrades/extensions. Additional information will be required if the facility may be subject to siting restrictions.

- A. A scale drawing of the proposed facility tied to a property marker or other permanent structure. The drawing must show the proposed location of all the tanks, piping and dispensers and other facility components intended to contain product (either as a liquid or vapor) relative to other site features, including existing buildings monitoring wells and adjacent roads. If this is a replacement or upgrade installation, then the drawing must show the location of the new tank or piping relative to existing tanks, piping and dispensers. For new or replacement motor fuel facilities or piping upgrades, the proposed location of the tank pad, piping runs and dispensers should be marked onsite.

- B. For new or replacement motor fuel storage facility, a sketch showing distances and bearings to private wells within 400 feet and public water supplies within 1200 feet.
See Attachment "A" for example.

8. INDIVIDUAL TANK DATA: Complete for each tank

A. Tank Type A.= Steel - bare or asphalt coated C.= Cathodic-Single Wall E.= Fiberglass-Single Wall G.= Fiberglass-Double Wall V.= Jacketed - Double Wall W.= Cathodic Steel - Double Wall N.= Other _____	D. Tank Leak Detection 0.=Unknown 4.=Manual Groundwater Sampling 5.=Automatic Tank Gauge 7.=Secondary Containment-Continuous Electronic 8.=Secondary Containment - Manual Monitoring 9.=SIA Statistical Inventory Analysis 10.=None	F. Tank Status A.=Planned B.=Active C.=Out of Service D.=Abandon in Place (Filled) E.=Planned for Removal F.=Removed (Date)
B. Piping Type (same codes as tank) or D.=Steel w/secondary O.=Copper X.=Flexible Single Wall Y.=Flexible-Double Wall Z.=Copper w/secondary	E. Product Stored 1.=Kerosene 2.=#2 Fuel Oil 5.=#5 Fuel Oil 19.=Unleaded Plus 23.=Unleaded 24.=Aviation 25.=Jet Fuel 28.=Unleaded Premium 29.=Diesel 81.=Waste Oil 99.=Other (please specify)	G. Pump Type: (1) Suction (2) Pressure (3) Suction & Return (10)= None
C. Tank Size Size of Tank in gallons		H. Pipe Leak Detection (Use same Codes as Tank except): 9.=SIA
		I. Overfill & Spill 2=Electronic 90% Cap 5.=Automatic Shutoff (95% capacity) 6.=Automatic Alarm (90% Capacity) 7.=Vent Whistle
		J. Date Installed

TANK 1:

A. _____ B. _____ C. _____ D. _____ E. _____ F. _____ G. _____ H. _____ I. _____ J. _____

TANK 2:

A. _____ B. _____ C. _____ D. _____ E. _____ F. _____ G. _____ H. _____ I. _____ J. _____

TANK 3:

A. _____ B. _____ C. _____ D. _____ E. _____ F. _____ G. _____ H. _____ I. _____ J. _____

9. A registration fee of \$35.00 is required for all tank(s) except for tank(s) serving single family residences. Registration fees are due upon registration and annually thereafter, prior to January 1st.

Attach a check for the applicable registration fee, made payable to the State of Maine Groundwater Fund, and return this form to Attn: Tank Registration, Maine Department of Environmental Protection, 17 State House Station, Augusta, ME 04333-0017.

Fee Computation: _____ tank(s) at \$35.00 per tank = \$_____

10. **MAKE TWO (2) COPIES OF THIS FORM.** Submit the original to Attn: Tank Registration, Maine Department of Environmental Protection, 17 State House Station, Augusta, ME 04333-0017. Send one (1) copy to the local Fire Department having jurisdiction. Retain the third copy for your records. For new and replacement tank(s), the registration form is due at least ten (10) business days prior to installation.

11. Your registration shall not be considered complete and will be returned to you if both Sections A and B are not completed.

12. **IF NEW, REPLACEMENT OR RETROFITTING EXISTING TANKS OR PIPING ARE INCLUDED WITH THIS REGISTRATION, PLEASE PROVIDE:**

A. Name of Installer:_____

B. Installer ID Number:_____ Date of Planned Installation:_____

13. **CERTIFY THIS FORM BY SIGNING.** By signing this form, I, the tank registrant, certify that all information is accurate and complete to the best of my knowledge, and that I will comply with all applicable federal, state, and local laws and regulations concerning the underground storage of petroleum products. The owner or operator is required by Maine statutes to file an amendment to this registration with the Department of Environmental Protection immediately upon any change of information contained in this form.

Owner or Authorized
Employee of the Owner

Title (Please print or type)

Signature

Date